STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
1 Telephone: (801) 538-5340

NOTICE OF INTENTION TO COMMENCE MINING OPERATIONS and MINING AND RECLAMATION PLAN

Based on Provisions of the Mined Land Reclamation Act, Title 40-8, Utah Code Annotated 1953, General Rules and Regulations and Rules of Practice and Procedures, By Order of the Board of Oil, Gas and Mining.

	ddres, by order of the Board of Oil, G	as and Mining.
Mine N	Name: Bilge Roch mine	Mine Plan Date: april 1st 1981
File N	No.: 407/047/033	Date Received:
Operat	tor: Kent Wahl	DOGM Lead Reviewer:
Minera	al(s) to be Mined: 50LD	
number	lease attach other sheets as needed and rs when used.	nd include cross-reference page
1. Na	ame of Applicant or Company: Rada orporation () Partnership () Indiv	el Roch Frenming DBA
2. Ac	ddress: Permanent: 1209 So 15	500 W Vernal Zet 84078
*	Temporary:	
	ompany Representative: Name: Kenn Title: Manu ddress: 1209 So 1500 (1), Denn	et blake
4. Lo		Phone: 78/052/ Unutab Section(s): Section(s): Section(s):
5. Ow	wner(s) of record of the surface area	
Name: Name: Name:	Stewart Ashton Address	ress: <u>Union ut</u> ress:

6.	. Owner(s) of record of the minerals to be mined:					
Name Name Name		Address: Address: Address: Address:	Vernal			
120		u u	· 10 mm			
7.	Owner(s) of record of all other m any part of the land to be affected	inerals, included:	ding oil and gas, within			
Name Name Name	e:	Address: Address:	Viennal Get,			
8.	Have the above owners been notific why not?		(WYes, () No. If no,			
9.	Have you or any other person, par you received an approval of a Not. Operations by the State of Utah fi herein? () Yes, () No. If yes surety:	ice of Intenti Or operations (on to Commence Mining			
10.	Source of Operator's legal right land to be covered by this Notice	:	onduct operations on the			
11.	Give the names and mailing addres Partner (or person performing a s	ses of every p imilar functio	rincipal Executive, Office, n) of Applicant:			
	Name Titl	е	Address			
A. B.	Sint R. Hall To	Paraguer.	Usmal Tit_			
C.	The file of	11	Vennal Lit			
D.	J. J. J.		Vermal let			

12.	Has the Applicant, any subsidiary or affiliate or any person, partnership, association, trust or corporation controlled by or under common control with the Applicant, or any person required to be identified by Item 11 ever had an approval of a Notice of Intention to Mine or Explore withdrawn or has surety relating thereto ever been forfeited? () Yes, () No. If yes, please explain:					
,						
Plea	ase note: Section 40-8-13 of the Act provides that information relating to					

Please note: Section 40-8-13 of the Act provides that information relating to the location, size or nature of the deposit, and marked confidential by the Operator, shall be protected as confidential information by the Board and the Division and not be a matter of public record in the absence of a written release from the Operator, or until the mining operation has been terminated as provided in Subsection (2) of Section 40-8-21 of the Act. This material should be so marked and included on separate cross-referenced sheets.

- 13. All maps and plans prepared for submission shall be of adequate scale and detail to show topographic features and clearly indicate the following details:
 - A. Location and delineation of the extent of the land previously affected, as well as the proposed surface disturbance.
 - B. Existing active or inactive, underground or surface mined areas.
 - C. Boundaries of surface properties, including ownership.
 - D. Names and locations of:
 - (1) Lakes, rivers, streams, creeks and springs.
 - (2) Roads, highways and buildings.
 - (3) Active or abandoned facilities.
 - (4) Transmission lines within 500 feet of the exterior limits of land affected.
 - (5) Gas and/or oil pipelines.
 - (6) Site elevation.
 - E. Drainage patterns of land affected:
 - (1) Overburden or topsoil removal and storage areas.
 - (2) Areas susceptible to erosion.
 - (3) Natural waterways.
 - (4) Constructed drainages, diversions, berms and sediment ponds (design calculations shall be included).
 - (5) Receiving waters (State Health classification).
 - (6) Directional flow of all surface waters (indicated by arrows).
 - F. Known drill holes:
 - (1) Location.
 - (2) Status.

			Depths and thicknesses of:* a. Water bearing strata. app 10 b. Mineral deposits. c. Toxic or potentially toxic materials. Mon Joja d. Surficial or plant supporting material (topsoil and subsoil).
	G.	(4) (5)	subsoil). ions of disposal and stockpile areas: Felled Back as mined Topsoil and subsoil storage areas. Toverburden storage area. Topsoil and subsoil storage area. Topsoil and storage materials. Raw ore stockpile(s). Topsoil Tailings-ponds and other sediment control structures. for Nethaman Discharge points, water effluents (see #15[D]).
gen rec	parati eral i ommend	ion to refere ded wi	should have a color code or other suitable legend used in clearly indicate surface features of the land affected. A ence map completed on a 7.5 (1:24,000) USGS quadrangle sheet is the additional large scale maps included for practical delineation facilites, (e.g., 1:200, 1:500).
14.	Acrea	age to	be disturbea:
	Α.	Mines etc.)	site (operating, storage, disposal areas,
	B. C.	120	eiated on-site processing facilities: (D8 CAT (Front End brooks) Mining method to be employed, including: Bowls + Sluce Boyes
15.	Desc	ribe m	mining method to be employed, including: Bouls + Slued Boyes
	Α.	Minir (1)	ng sequence:
		(2)	Narrative (including on-site processing or mineral treatment):
			Attach supplemental sneets and/or diagrams as necessary with cross reference to page number here:

^{*}Stratigraphic or lithologic logs if correlated to footage depths may be presented when labeled (maps or logs should be labeled confidential, if so desired).

	в.	(1) Thickness(es): 5 to 6 ff in Hypht (2) Dip:
	C.	(3) Outcrop: Will any underground workings or aquifers be encountered? () Yes, () No. If yes, describe potential impacts and protection measures to be taken:
	D.	Describe any active discharge or proposed discharge of water from mine or site area. Include water quality data and lab test reports. If attached sheets or reports are included, cross reference to page number here:
	Do	next was a self-
		The are unif common
16.	Have will	all necessary water rights been appropriated? (2) Yes, () No. How water be obtained? Please explain:
17.	MITT	the permit term be for a lesser amount of time, subject to review? ., for surety estimate reasons). () Yes, () No. If yes, how long?
18.	Desc: A. B. C.	ribe the construction and maintenance of access roads including: Procedures (drainage and erosion control methods). Cross section(s). Profile(s) of proposed road grade(s).
7	mu	de of flat surfere board meded for app
	Atta	ch supplemental diagrams and cross reference to page number
19.	Prio	r land use(s):
		ent land use(s):
		ible projected or prospective future land use(s):

20.	Desci	ribe methods of tree and brush removal: Bound is Removal
¥	Provi	ide estimate of, and method of obtaining existing vegetation cover (%):
	+ us	types of dominant vegetation are present? Sparse Shase
	Photo	number here:
21.	suita accor analy excav	s (surficial plant supportive material) and overburden: Except where e or rocky terrain make it impossible, all surficial materials able as a growth medium shall be removed, segregated and stockpiled rding to its ability to support vegetation (as determined by soil visis and/or practial revegetation experience) prior to any major vation. (Suggested minimum requirements are the top six inches, or 'A" horizon, whichever is larger.)
	Α.	What is the pH range of the soil before mining? Name of person or agency and method of determining pH:
а	B. Ju to c.	Attach lab report if available. Cross reference page number here: Average depth of topsoil and subsoil to be stripped and stockpiled: Market Calculated volume of soil to be stockpiled: Describe the method for removing and stockpiling topsoil and subsoil, including measures to protect topsoil from wind and water erosion, compaction and pollutants: Aut D8
	D.	Describe the method for removing and stockpiling overburden. Describe and discuss the acidity or alkalinity (pH) or other characteristics which would affect revegetation: All our burden to the a DS Cat Que describe the stock of the stock

E.	which is to be disposed of on- or off-site must be subjected to a toxicity analysis. The method of determination, results and suitable disposal methods must be explained in detail, including means for containment and long range stability*: All form when we want to find the same along the stability.
De	escribe the methods used to minimize public safety and welfare hazards uring and after mining operations including:

- 22.
 - Shaft, tunnel and drill hole closure. More Α.
 - Disposal of trash, scrap metal and wood and extraneous debris, waste В. oil and solvents, unusable buildings and foundations, sewage and other materials incident to mining.
 - Posting of appropriate warning signs and/or fences or berms to act as C. barriers (e.g., above highwalls) in locations where public access is available. none at pressent in newled

B Hawled away or Burned.

^{*&}quot;Toxic" means any chemical or biological or adverse characteristic of the material involved which could reasonably be expected to negatively affect ecological or hydrological systems or could be hazardous to the public safety and welfare.

23.	Grad	ing and so	il redistribution.
	А.	Describe and highwheights:	e- and postmining contour cross sections, typical of designs. Cross reference to page number here: the method(s) of overburden replacement and stabilization all elimination, including: (a) slope factors; (b) lift (c) compaction; (d) terracing, etc., (e) also include rocedures: All of any slopeng as To elemanate enough of muchles of this florably a flat surface
	С.	What meth	od of spreading topsoil and subsoil or upper horizon on the regraded area will be employed? With a D8 Car
		2. What pote	cate the approximate depth of soil cover after final acing inches. tests will be performed to adequately evaluate the ntial of the soil to successfully support intended getation?
		reve	soil amendments or fertilizers will be needed as an aid to getation?
		urali	Rate:

		5. Describe methods which may be particularly applicable to waste disposal areas determined to be potential problem areas. Mere dones mut appear to be any Potential Problems at their times.
	D	Describe plans for either leaving or reclaiming the roads and pads associated with the operation. all road of facts well be included with the reclaiming the roads and pads associated with the reclaiming the roads and pads associated with the reclaiming or reclaiming the roads and pads associated with the operation.
2	w l r	mpoundments: All evaporation, tailings and sediment ponds; spoil piles, ills, pads and regraded areas shall be self-draining and nonimpounding hen abandoned unless previously approved as an impounding facility by a awful state or federal agency. In view of this, please describe the eclamation of all related areas in the operation and include pertinent tems enumerated in C, 1-5 above. All of the above well be treated as a mune fortion of the power will be treated as a mune fortion of the place of the secondary.
2	25. R	evegetation plans:
	В	the revegetation?
	С	. Will irrigation be used? () Yes, () No. Type:

- Test plots initiated during the early stages of mine development D. provide good bases from which a successful revegetation program can be adapted for later implementation. Will test plots be employed? () Yes, () No. If yes, describe on an additional sheet(s) and attach. Cross reference page number here and show location on facilities map:
- Please attach a revegetation plan and schedule including:

Species to be used. approval from BLM Rate of seed application/acre. Season to be planted. Late Palfill Seedbed preparation techniques. drill

Planting location, slope face direction, variability, method of application, covering, etc.

Mulch and fertilizer application, if used. work

F. Describe any other maintenance procedures which may be used, if needed, to guarantee successful revegetation:

- 26. Please provide a reclamation schedule including:
 - Estimated time for construction. A.

Estimated time for interim reclamation. В.

Estimated duration of the mining operation. unknown at this time С. D. A time table for the accomplishment of each major step in the reclamation plans. Attach the schedule and cross reference to the

page number here: on as we munic Basus

- 27. A surety guarantee must be provided for the mining operation (see Rule M-5 Mined Land Reclamation Act). In calculating this amount, the Division will consider the following major steps based on the information provided in this report:
 - Clean up and removal of structures.
 - Backfilling, grading and contouring.
 - C. Topsoil and subsoil redistribution and stabilization.
 - D. Revegetation (i.e., preparation, seeding, mulching, irrigation).
 - E.
 - F. Safety and fencing.
 - Monitoring, and reseeding if necessary.

To assist the Division, the operator may attach a list of costs and factors which would satisfy these areas. Substantiation of these factors, i.e., unit costs and how they are derived, should accompany the list. Cross reference the page number here:

28. A request for a variance from specific commitments to Rule M-10 (Reclamation Standards) of the Mined Land Reclamation Act may be submitted with adequate written justification. If after presentation of information adequately detailing the situation, a determination is made that finds a portion of the rule inapplicable, a variance may be granted by the Division.

FORM MR-1 Page 11 of 13

Rule

I hereby commit the applicant to comply with Rule M=10, "Reclamation Standards" in its entirety, as adopted by the Board of Oil, Gas and Mining on March 22, 1978.

The applicant will achieve the reclamation standards for the following categories as outlined in Rule M-10 on all areas of land affected by this mine, unless a variance is granted in writing by the Division.

Category of Commitment

Variance Requested?

M-10(1) M-10(2) M-10(3) M-10(4) M-10(5) M-10(6) M-10(7) M-10(8) M-10(9) M-10(10) M-10(11) M-10(12) M-10(13) M-10(14)	Land Use Public Safety and Welfare Impoundments Slopes Highwalls Toxic Materials Roads and Pads Drainages Structures and Equipment Shafts and Portals Sediment Control Revegetation Dams Soils	
DIEVIOUS SUBSECTIONS OF DUIL	justified on a site-specific be M-10 as indicated. A narrative attached. Here to method lectain as we go base time as manage + J	and the second s
COUNTY OF		
application are true to the	f the representations contained best of my knowledge; that I am cation on behalf of the Applica	n authorized to
	Signed:	
Taken, subscribed and swisaid county, this day	orn to before me the undersigne of, 19	ed authority in my
	Notary Public:	
My Commission Expires:		

FORM MR-1 Page 12 of 13

PLEASE NOTE:

Section 40-8-13(2) of the Mined Land Reclamation Act provides for maintenance of confidentiality concerning certain portions of this report. Please check to see that any information desired to be held confidential is so labeled and included on separate sheets or maps.

Only information relating to the <u>location</u>, size or nature of the depositimal be protected as confidential.

Confidential Information Enclosed: () Yes () No

MINE MAPS

- Maps must be clear and legible contour maps or recent aerial photos. The scale should be l inch = 500 feet to adequately show topographic features.
- 2. Map sheets should be of a reasonable size, not to exceed 48 inches on a side.
- 3. Maps must have a title block with:
 - A. Map title.
 - B. Name and address of permittee.
 - C. Permit and amendment numbers.
 - D. Annual report period.
 - E. Scale, north arrow, contour interval, date of photography, etc.
- 4. All maps must show:
 - A. Legal subdivisions.
 - B. Permit area boundary clearly shown and labelled.
 - C. Amendment areas clearly shown and labelled.
 - D. Contour features.
- 5. The following features should all be clearly identified:
 - A. Topsoil stockpiles (numbered and with volumes).
 - B. Settling ponds and sediment control structures.
 - C. Haul roads.
 - D. Pits identified by location, name, number, etc.
 - E. Ramps (numbered).
 - F. Out-of-pit spoil dumps.
 - G. All waste disposal sites including, but not limited to:
 - 1. Landfill sites.
 - Carbonaceous waste dumps.
 - H. Diversion ditches.
 - Monitoring sites.

14050

6.19	1 1 1 7 7 7	158 1	4477
	ER	CLA	

Leference Dist for	Claims	Pages filed Win	tah Co, R	corder	Ser.
FELL BOY	Sec. 34:	Lot 1 Name, Saama	, Z + 8	579	101 753
BULL BOY PLACER	Sec. 34:	Lot 1 Washa, NEXNYA	2-1	362	120063
3U3.10USE	Sec. 27:	Loc 4, Sinet, Neignet	Z in S	407	120064
CUSTER NO. 1	Sec. 35:	Lots 1,2,3, NEASWE	2.5	4.83	
CUSTER NO. 2	Sec. 35:	SEX	7.3	433	130074
CUSSER NO. 3	Sec. 35:	NEE	2-5	550	320075
GOLD BAR VO. 5	Sec. 23:	Lots 4,5,6,7,8, & 9	2-2	423	120067
GRI . I	Sec. 34:	Lots 4 and 5	2 - 9	72	1207 3
DUMENG .	Sec. 34:	Lors 7 and 8, What	2 cm 3	552	120069
LAST CHARCE NO. 1	Sec. 23: 26:	lots 11,12,13, & 14 SE tNAt, Night	2-8	424 °	120070
LAST CHARGE NO. 2		Lots 6.7, 6.8 Lot 1, NaMAt	7 - ° 2 - 3	553	120011
TASE CHANCE NO. 3	Sec. 25:	Lets 2,3,4, & 5, SAVE	Z-8	424	1200
and CLI	Sec. 25:	Miswi Lot 8, Neisek	2-9	- 0.5	1:0066



